

# Bullhead City Fire Department Operational Permit

**Blasting/Explosives**

**Fireworks Display**  
(attach site map)

**Cutting/Welding/Hot Works**

**Fireworks Sales**  
(attach drawing of area)

**Hazardous Materials**

Permit Address: \_\_\_\_\_

Company: \_\_\_\_\_

Name: \_\_\_\_\_

Address: \_\_\_\_\_

Phone #: \_\_\_\_\_ Local Phone #: \_\_\_\_\_

Fax #: \_\_\_\_\_ E-Mail Address: \_\_\_\_\_

Permit Dates: From \_\_\_\_\_ to \_\_\_\_\_

Detailed Explanation: \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

Applicant Signature: \_\_\_\_\_ Date: \_\_\_\_\_

Permit Fee: \$ \_\_\_\_\_ Date Paid: \_\_\_\_\_ Initials: \_\_\_\_\_

Approved: \_\_\_\_\_ Date: \_\_\_\_\_

Inspector

# Temporary Consumer Fireworks Retail Sales (CFRS) Facilities

## Minimum Separation Distances

	Buildings	Combustibles	Tents	Vehicle Parking	Stands	Storage of Consumer Fireworks
<b>Tents</b>	20 feet	20 feet	20 feet	10 feet	20 feet	20 feet
<b>Stands</b>	20 feet	10 feet	20 feet	10 feet	5 feet **	20 feet

\*\* Where stands are separated from each other by less than 20 feet, the aggregate area of such stands shall not exceed 800 square feet.

## Other Requirements

- \* The area located within 30 feet of a CFRS facility shall be kept free of accumulated dry grass, dry brush, and combustible debris.
- \* Portable generators and their fuels shall be located not less than 20 feet from the CFRS facility. Fuel capacity must not exceed 2 gallons.
- \* Cooking equipment of any type shall not be permitted within 20 feet of the CFRS facility.
- \* Open flame cooking equipment of any type shall not be allowed within 50 feet of the CFRS facility.
- \* At least one fire extinguisher with the minimum rating of 4A80BC shall be required in the sales area. Additional extinguishers may be required depending upon the size of the sales area.
- \* Smoking shall not be permitted within 50 feet of the CFRS area.
- \* Signs that read “Fireworks – No Smoking” shall be conspicuously posted throughout the CFRS area. The letters shall be a minimum of 2 inches in height and shall contrast with their background.
- \* CFRS facilities cannot be closer than 50 feet to:
  1. Retail propane – dispensing station dispensers
  2. Above ground storage tanks for flammable or combustible liquids, flammable gas, or flammable liquefied gas
  3. Compressed natural gas dispensing station dispensers
- \* Fireworks shall not be ignited, discharged, or otherwise used within 300 feet of a CFRS facility.
- \* Any loose pyrotechnic composition shall be removed immediately.
- \* All initial inspections of CFRS facilities shall be conducted a minimum of one day prior to the opening of the site. There shall be no sales without an initial inspection by Bullhead City Fire Department Fire Inspector.
- \* Fireworks shall not be sold or dispensed by any person under the age of 16 years. An adult shall be present during all hours of operation.
- \* Fireworks shall not be sold or dispensed to any person under the age of 16 years.